



WATERBASED ANTI-STATIC DEGREASER 90-851

APPLICATION DATA



Mixing Ratio : Ready to Use




Application-Viscosity : Soak a clean cloth with 90-851, then wipe surface. Then, wipe dry with a clean cloth before product dries. **DO NOT ALLOW** 90-851 to dry on the surface. If this occurs, re-apply 90-851 using a clean cloth and wipe dry.
@ 20°C/70°F
DIN Cup 4 mm



		<u>Nozzle diameter</u>
:	Gravity feed	N/A
:	Suction feed	N/A
:	HVLP/LVLP	N/A



Spray Coats/
Film Thickness : N/A



Flash-off : N/A



Drying :	<u>20°C/70°F</u>	<u>60°C/140°F (object temperature)</u>
	N/A	N/A



Potlife* : N/A
@ 20°C/70°F

WATERBASED ANTI-STATIC DEGREASER 90-851

Field of application	: Multi-Purpose water-base cleaner for use in initial and final surface prep.
Chemical basis	: Water and solvents.
General qualities	: Cleaner with anti-static properties
Auxiliary materials	: Not applicable
Mixing ratio (volume)	: Ready-to-use
Physical properties	
Density	: 8.32 lbs/gal
Flashpoint	: Closed cup: 175°F (79°C)
Weight % Volatiles	: 99.5%
Weight % Water and/or Exempts	: 97.1%
Actual VOC	: 0.2 lbs./gal. (24 g/L)
Gloss	: N/A
Substrates	: OEM Finishes, Refinish undercoats, Aluminum, Bare Metal, and Plastics
Cleaning the Equipment	: N/A
Colour	: Clear.
Storage life	: Under normal storage conditions for up to two years (unopened container).